

CERTIFIED PUBLIC ACCOUNTANTS

3820 I-55 North, Suite 100 (39211) P.O. Box 16090 Jackson, Mississippi 39236-6090 *Telephone* 601-987-4300 Fax 601-987-4314 *E-mail:* firm@eubankbetts.com *Website:* www.eubankbetts.com

SYSTEM REVIEW REPORT

November 12, 2009

To the Partners
Gragson, Casiday & Guillory, L.L.P.
and the Peer Review Committee of the Society of Louisiana CPA's

We have reviewed the system of quality control for the accounting and auditing practice of Gragson, Casiday & Guillory, L.L.P. (the firm) in effect for the year ended May 31, 2009. Our peer review was conducted in accordance with the Standards for Performing and Reporting on Peer Reviews established by the Peer Review Board of the American Institute of Certified Public Accountants. The firm is responsible for designing a system of quality control and complying with it to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. Our responsibility is to express an opinion on the design of the system of quality control and the firm's compliance therewith based on our review. The nature, objectives, scope, limitations of, and the procedures performed in a System Review are described in the standards at www.aicpa.org/prsummary.

As required by the standards, engagements selected for review included audits subject to government auditing standards and audits of employee benefit plans.

In our opinion, the system of quality control for the accounting and auditing practice of **Gragson**, **Casiday & Guillory**, **L.L.P.** in effect for the year ended May 31, 2009, has been suitably designed and complied with to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. Firms can receive a rating of pass, pass with deficiency(ies) or fail. **Gragson**, **Casiday & Guillory**, **L.L.P.** has received a peer review rating of pass.

EUBANK & BETTS, PLLC